



TSCHORN®


Probes & Tools Technology



Stops

5D workpiece stopper

Stops



Combination element
to extend or to
combine two stoppers

Application:

One of the various application of the workpiece stopper is as a versatile instrument for the positioning on processing machines or during assembly.

Delivery includes:

Workpiece stopper with slide block M8x12.

| Article No. | Description | Size |
|-------------|----------------------|---------|
| 003420150 | 5D workpiece stopper | 150 |
| 003400Z01 | Combination element | |
| 002080028 | Slide block | M8 x 10 |
| 002140301 | Slide block | M8 x 12 |
| 002140327 | Slide block | M8 x 14 |
| 002153460 | Slide block | M8 x 16 |
| 002153478 | Slide block | M8 x 18 |

Slide block
10 - 18 mm



Workpiece stoppers with magnet



Stops

With its built-in magnets the workpiece stopper gets fixed directly to a bench vice (for example) and applies for exact positioning of your workpiece. After clamping, it can simply be removed and releases the positioning surface for processing.

The FlexiMag version is also equipped with a flexible rotate and swivel mechanism and makes it possible to position in a wide variety of places.



| Article No. | Description | Shank | Holding force |
|-------------|------------------------------|-------|---------------|
| 003420001 | FlexiMag - workpiece stopper | Ø30 | 200 N |
| 003420002 | EasyMag - workpiece stopper | Ø30 | 200 N |

